

Duke Kahanamoku ... CHANNEL HOOKUP

PAGE 1

7/19/02

LIGHTING DESIGNER:
DONALD G CHRISTENSEN
 (877) 866-9624 D@ROSCOLUX.COM

ALD: JASON A BROWN
 MASTER ELECTRICIAN: BRIAN TYLKE
 MERLE RESKIN THEATRE SPRING 2001

CHN	PURPOSE	CLR/TMP	TYPE & WATTAGE	POSITION	U
(1)	SL-->DL	N/C	6X12 575w	SL Torm	2
(2)	SR-->DL	N/C	6X16 575w	No. 1 Electric Low	7
(3)	SL-->DCL	N/C	6X16 575w	SL Torm	1
(4)	SR-->DCL	N/C	6X16 575w	No. 1 Electric Low	9
(5)	SL-->DC	N/C	6X16 575w	No. 1 Electric Low	1
(6)	SR-->DC	N/C	6X16 575w	No. 1 Electric Low	11
(7)	SL-->DCR	N/C	6X16 575w	No. 1 Electric Low	3
(8)	SR-->DCR	N/C	6X16 575w	SR Torm	1
(9)	SL-->DR	N/C	6X16 575w	No. 1 Electric Low	5
(10)	SR-->DR	N/C	6X12 575w	SR Torm	2
(11)	SL-->ML	N/C	6X12 575w	1 Ladder L	2
(12)	SR-->ML	N/C	6X12 575w	No. 2 Electric High	11
(13)	SL-->MC	N/C	6X12 575w	No. 2 Electric Low	1
	SL-->MC	N/C	6X12 575w	No. 2 Electric High	2
(14)	SR-->MC	N/C	6X12 575w	No. 2 Electric Low	11
	SR-->MC	N/C	6X12 575w	No. 2 Electric High	14
(15)	SL-->MR	N/C	6X12 575w	No. 2 Electric High	4
(16)	SR-->MR	N/C	6X12 575w	1 Ladder R	1
(21)	SL-->BL	N/C	6X12 575w	1 Ladder L	1
(22)	SR-->BL	N/C	6X12 575w	No. 2 Electric High	12
(23)	SL-->BC	N/C	6X12 575w	No. 2 Electric Low	2
	SL-->BC	N/C	6X12 575w	No. 2 Electric High	1
(24)	SR-->BC	N/C	6X12 575w	No. 2 Electric Low	12
	SR-->BC	N/C	6X12 575w	No. 2 Electric High	13
(25)	SL-->BR	N/C	6X12 575w	No. 2 Electric High	3
(26)	SR-->BR	N/C	6X12 575w	1 Ladder R	2
(27)	US SL Cross	N/C	6X16 575w	2 Ladder L	1
(28)	US SR Cross	N/C	6X16 575w	2 Ladder R	1
(31)	Plaster SL-->SL	N/C	6X9 575w	1 Box Boom L	4
(32)	Plaster SR-->SL	N/C	6X16 575w	1 Box Boom R	1
(33)	Plaster SL-->MSL	N/C	Alt 30 575w	1 Box Boom L	3
(34)	Plaster SR-->MSL	N/C	6X12 575w	1 Box Boom R	2
(35)	Plaster SL-->MSR	N/C	6X12 575w	1 Box Boom L	2
(36)	Plaster SR-->MSR	N/C	Alt 30 575w	1 Box Boom R	3
(37)	Plaster SL-->SR	N/C	6X16 575w	1 Box Boom L	1
(38)	Plaster SR-->SR	N/C	6X9 575w	1 Box Boom R	4
(40)	DSL>Shin	L200	6X9 575w	SL Torm	5

Duke Kahanamoku ... CHANNEL HOOKUP

CHN	PURPOSE	CLR/TMP	TYPE & WATTAGE	POSITION	U
(41)	MSL>Shin	L200	6X9 575w	1 Boom L	4
(42)	BSL>Shin	L200	Alt Sk 30 575w	2 Boom L	3
(45)	DSR>Shin	G341	6X9 575w	SR Torm	5
(46)	MSR>Shin	G341	6X9 575w	1 Boom R	4
(47)	BSR>Shin	G341	Alt Sk 30 575w	2 Boom R	3
(50)	DSL>Mid	G341	Alt 30 575w	SL Torm	4
(51)	MSL>Mid	G341	Alt Sk 30 575w	1 Boom L	3
(52)	BSL>Mid	G341	Alt Sk 30 575w	2 Boom L	2
(53)	USL>Mid	N/A	PAR 64 MFL 1kw	3 Boom L	3
(54)	Scroller MSL	Scroll B	Fore Runner Scroller	3 Boom L	3
(55)	DSR>Mid	L200	Alt 30 575w	SR Torm	4
(56)	MSR>Mid	L200	Alt 30 575w	1 Boom R	3
(57)	BSR>Mid	L200	Alt Sk 30 575w	2 Boom R	2
(58)	US>MID	N/A	PAR 64 MFL 1kw	3 Boom R	3
(59)	US>MID	Scroll B	Fore Runner Scroller	3 Boom R	3
(60)	DSL>Head	R26	PAR 64 MFL 1kw	SL Torm	3
(61)	BSL>Head	R26	PAR 64 MFL 1kw	2 Boom L	1
(65)	DSR>Head Lav	R57	PAR 64 MFL 1kw	SR Torm	3
(66)	BSR>Head	R57	PAR 64 MFL 1kw	2 Boom R	1
(70)	Cool Back DL	G882	PAR 64 MFL 1kw	No. 2 Electric Low	3
(71)	Cool Back DCL	G882	PAR 64 MFL 1kw	No. 2 Electric Low	5
(72)	Cool Back DCR	G882	PAR 64 MFL 1kw	No. 2 Electric Low	7
(73)	Cool Back DR	G882	PAR 64 MFL 1kw	No. 2 Electric Low	9
(74)	Cool Back ML	G882	PAR 64 WFL 1kw	No. 3 Electric	3
(75)	Cool Back MC	G882	PAR 64 WFL 1kw	No. 3 Electric	6
(76)	Cool Back MR	G882	PAR 64 WFL 1kw	No. 3 Electric	9
(80)	Warm Back DL	G341	PAR 64 MFL 1kw	No. 2 Electric Low	4
(81)	Warm Back DCL	G341	PAR 64 MFL 1kw	No. 2 Electric Low	6
(82)	Warm Back DCR	G341	PAR 64 MFL 1kw	No. 2 Electric Low	8
(83)	Warm Back DR	G341	PAR 64 MFL 1kw	No. 2 Electric Low	10
(84)	Warm Back ML	G341	PAR 64 WFL 1kw	No. 3 Electric	4
(85)	Warm Back MC	G341	PAR 64 WFL 1kw	No. 3 Electric	7
(86)	Warm Back MR	G341	PAR 64 WFL 1kw	No. 3 Electric	10
(90)	Down DL	R81	8" Fresnel 1kw	No. 1 Electric High	1
(91)	Down DCL	R81	8" Fresnel 1kw	No. 1 Electric High	3
(92)	Down DC	R81	8" Fresnel 1kw	No. 1 Electric High	5
(93)	Down DCR	R81	8" Fresnel 1kw	No. 1 Electric High	7
(94)	Down DR	R81	8" Fresnel 1kw	No. 1 Electric High	9

CHN	PURPOSE	CLR/TMP	TYPE & WATTAGE	POSITION	U
(95)	Down ML	R81	8" Fresnel 1kw	No. 2 Electric High	5
(96)	Down MC	R81	8" Fresnel 1kw	No. 2 Electric High	7
	Down MC	R81	8" Fresnel 1kw	No. 2 Electric High	8
(97)	Down MR	R81	8" Fresnel 1kw	No. 2 Electric High	10
(98)	Down UL	R81	8" Fresnel 1kw	No. 3 Electric	5
(99)	Down UR	R81	8" Fresnel 1kw	No. 3 Electric	8
(101)	DL Fill	G338+L209	Alt 20 575w	Balcony	6
(102)	DCL Fill	G338+L209	Alt 20 575w	Balcony	8
(103)	DC Fill	G338+L209	Alt 20 575w	Balcony	10
(104)	DCR Fill	G338+L209	Alt 20 575w	Balcony	12
(105)	DR Fill	G338+L209	Alt 20 575w	Balcony	14
(110)	ML Fill	G338+L209	Alt 12 575w	Balcony	7
(111)	MC Fill	G338+L209	Alt 12 575w	Balcony	9
	MC Fill	G338+L209	Alt 12 575w	Balcony	11
(112)	MR Fill	G338+L209	Alt 12 575w	Balcony	13
(115)	UL Fill	G338+L210	S4 36 575w	No. 1 Electric High	2
(116)	UC Fill	G338+L210	S4 36 575w	No. 1 Electric High	4
	UC Fill	G338+L210	S4 36 575w	No. 1 Electric High	6
(117)	UR Fill	G338+L210	S4 36 575w	No. 1 Electric High	8
(120)	Water Texture	G720, T:R77903	S4 26 575w	2 Box Boom R	3
(121)	Water Texture	G720, T:R77903	S4 26 575w	2 Box Boom R	6
(122)	Water Texture	G720, T:R77903	S4 26 575w	2 Box Boom L	4
(123)	Water Texture	G720, T:R77903	S4 26 575w	2 Box Boom L	5
(125)	Water Texture	G720, T:R7906	6X12 575w	No. 1 Electric Low	8
(126)	Water Texture	G720, T:R7543	6X12 575w	No. 1A Electric	9
(127)	Water Texture	G720, T:R7906	6X12 575w	No. 1 Electric Low	2
(128)	Water Texture	G720, T:R7543	6X12 575w	No. 1A Electric	4
(129)	Back Water Texture	R66, T:R7809	S4 36 575w	No. 3 Electric	1
	Back Water Texture	R66, T:R7809	S4 26 575w	No. 3 Electric	2
(130)	Lava Texture	R21, T:R77273	S4 26 575w	2 Box Boom R	4
(131)	Lava Texture	R21, T:R77273	S4 26 575w	2 Box Boom R	5
(132)	Lava Texture	R21, T:R77273	S4 26 575w	2 Box Boom L	3
(133)	Lava Texture	R21, T:R77273	S4 26 575w	2 Box Boom L	6
(135)	Lava Texture	R21, T:R7284	6X12 575w	No. 1A Electric	6
(136)	Lava Texture	R21, T:R7284	6X12 575w	No. 1 Electric Low	10
(137)	Lava Texture	R21, T:R7284	6X12 575w	No. 1A Electric	1
(138)	Lava Texture	R21, T:R7284	6X12 575w	No. 1 Electric Low	4
(140)	Duke Surf	G885	6X16 575w	No. 2 Electric High	6
(141)	Duke Special	Rx13	PAR 64 MFL 1kw	No. 2 Electric High	9

CHN	PURPOSE	CLR/TMP	TYPE & WATTAGE	POSITION	U
(145)	Fab 1 Tex	R66, T:R7642	6X16 575w	1 Ladder L	3
(146)	Fab 2 Tex	R72, T:A224-BS	6X9 575w	3 Boom L	4
(147)	Fab 3 Tex	R72, T:R7811	6X16 575w	3 Boom L	4
(148)	Fab 1 Tex	R66, T:R7642	6X16 575w	1 Ladder R	3
(149)	Fab 2 Tex	R72, T:A224-BS	6X9 575w	3 Boom R	5
(150)	Fab 3 Tex	R72, T:R7811	6X16 575w	3 Boom R	4
(151)	Cyc Streaks	N/C, T:R99652	S4 26 575w	Floormout	1
	Cyc Streaks	N/C, T:R-B168	S4 26 575w	Floormout	2
	Cyc Streaks	N/C, T:R99652	S4 26 575w	Floormout	3
(152)	Volcano	R22	ACL	ACL	A1
(153)	Moon	N/C	Alt 20 575w	Mezzanine	6
(154)	Back Sp	Rx32	S4 50 575w	Floormout	4
(160)	Fab 1 L	N/A	PAR 64 NSP 1kw	No. 1A Electric	7
(161)	Fab 1 CL	N/A	PAR 64 MFL 1kw	No. 1A Electric	8
(162)	Fab 1 CR	N/A	PAR 64 MFL 1kw	No. 1A Electric	2
(163)	Fab 1 R	N/A	PAR 64 NSP 1kw	No. 1A Electric	3
(165)	Scroller Fab 1 L	Scroll A	Fore Runner Scroller	No. 1A Electric	7
(166)	Scroller Fab 1 CL	Scroll A	Fore Runner Scroller	No. 1A Electric	8
(167)	Scroller Fab 1 CR	Scroll A	Fore Runner Scroller	No. 1A Electric	2
(168)	Scroller Fab 1 R	Scroll A	Fore Runner Scroller	No. 1A Electric	3
(170)	Fab 2 L	N/A	PAR 64 NSP 1kw	1 Boom R	1
(171)	Fab 2 CL	N/A	PAR 64 MFL 1kw	1 Boom R	2
(172)	Fab 2 CR	N/A	PAR 64 MFL 1kw	1 Boom L	2
(173)	Fab 2 R	N/A	PAR 64 NSP 1kw	1 Boom L	1
(175)	Scroller Fab 2 L	Scroll A	Fore Runner Scroller	1 Boom R	1
(176)	Scroller Fab 2 CL	Scroll A	Fore Runner Scroller	1 Boom R	2
(177)	Scroller Fab 2 CR	Scroll A	Fore Runner Scroller	1 Boom L	2
(178)	Scroller Fab 2 R	Scroll A	Fore Runner Scroller	1 Boom L	1
(180)	Fab 3 Red	R26	PAR 64 MFL 1kw	3 Boom L	2
(181)	Fab 3 Red	R26	PAR 64 MFL 1kw	3 Boom L	1
(183)	Fab 3 Red	R26	PAR 64 MFL 1kw	3 Boom R	1
(184)	Fab 3 Red	R26	PAR 64 MFL 1kw	3 Boom R	2
(190)	Cool Wash	R362	8" Fresnel 1kw	Mezzanine	4
(191)	Cool Wash	R362	8" Fresnel 1kw	Mezzanine	7
(192)	Cool Wash	R362	8" Fresnel 1kw	Mezzanine	10
(195)	Green Wash	Rx79	8" Fresnel 1kw	Mezzanine	1
(196)	Green Wash	Rx79	8" Fresnel 1kw	Mezzanine	8
(197)	Green Wash	Rx79	8" Fresnel 1kw	Mezzanine	11
(200)	SR Screen Red	R26	Alt 12 575w	Balcony	2

CHN	PURPOSE	CLR/TMP	TYPE & WATTAGE	POSITION	U
(201)	SL Screen Red	R26	Alt 12 575w	Balcony	18
(202)	SR Screen Blue	R81	Alt 12 575w	Balcony	3
(203)	SL Screen Blue	R81	Alt 12 575w	Balcony	17
(204)	SL Screen Lav	L180	Alt 12 575w	Balcony	4
(205)	SR Screen Lav	L180	Alt 12 575w	Balcony	16
(206)	SL Screen Amber	L179	Alt 12 575w	Balcony	5
(207)	SR Screen Amber	L179	Alt 12 575w	Balcony	15
(208)	Screen B-up		Alt 12 575w	Mezzanine	13
(210)	SL Screen Palm	Rx94, T:R77222	S4 19 575w	Mezzanine	2
(211)	SR Screen Palm	Rx94, T:R77222	S4 19 575w	Mezzanine	9
(212)	SL Screen (Linear)	L147, T:G656	S4 19 575w	Mezzanine	3
(213)	SR Screen (Linear)	L147, T:G656	S4 19 575w	Mezzanine	12
(214)	SL Screen (Bubble)	Rx77, T:G723	Alt 20 575w	2 Box Boom L	1
(215)	SR Screen (Bubble)	Rx77, T:G723	Alt 20 575w	2 Box Boom R	1
(216)	SR Screen (fire)	Rx20, T:G267	Alt 20 575w	2 Box Boom L	2
(217)	SL Screen (Fire)	Rx20, T:G267	Alt 20 575w	2 Box Boom R	2
(220)	Cyc Blue	L079	Far Cyc 4-Cell	No. 4 Electric	A1
	Cyc Blue	L079	Far Cyc 4-Cell	No. 4 Electric	B1
	Cyc Blue	L079	Far Cyc 4-Cell	No. 4 Electric	C1
	Cyc Blue	L079	Far Cyc 4-Cell	No. 4 Electric	D1
	Cyc Blue	L079	Far Cyc 4-Cell	No. 4 Electric	E1
(221)	Cyc Lav	L180	Far Cyc 4-Cell	No. 4 Electric	A2
	Cyc Lav	L180	Far Cyc 4-Cell	No. 4 Electric	B2
	Cyc Lav	L180	Far Cyc 4-Cell	No. 4 Electric	C2
	Cyc Lav	L180	Far Cyc 4-Cell	No. 4 Electric	D2
	Cyc Lav	L180	Far Cyc 4-Cell	No. 4 Electric	E2
(222)	Cyc Blue/Green	L115	Far Cyc 4-Cell	No. 4 Electric	A3
	Cyc Blue/Green	L115	Far Cyc 4-Cell	No. 4 Electric	B3
	Cyc Blue/Green	L115	Far Cyc 4-Cell	No. 4 Electric	C3
	Cyc Blue/Green	L115	Far Cyc 4-Cell	No. 4 Electric	D3
	Cyc Blue/Green	L115	Far Cyc 4-Cell	No. 4 Electric	E3
(223)	Cyc Blue2	L161	Far Cyc 4-Cell	No. 4 Electric	A3
	Cyc Blue2	L161	Far Cyc 4-Cell	No. 4 Electric	B3
	Cyc Blue2	L161	Far Cyc 4-Cell	No. 4 Electric	C3
	Cyc Blue2	L161	Far Cyc 4-Cell	No. 4 Electric	D3
	Cyc Blue2	L161	Far Cyc 4-Cell	No. 4 Electric	E3
(230)	Cyc B. Lt Blue	R67	T3 9LT 3CR	Groundrow	A1
	Cyc B. Lt Blue	R67	T3 9LT 3CR	Groundrow	B1
	Cyc B. Lt Blue	R67	T3 9LT 3CR	Groundrow	C1
	Cyc B. Lt Blue	R67	T3 9LT 3CR	Groundrow	D1
	Cyc B. Lt Blue	R67	T3 9LT 3CR	Groundrow	E1
	Cyc B. Lt Blue	R67	T3 9LT 3CR	Groundrow	F1

CHN	PURPOSE	CLR/TMP	TYPE & WATTAGE	POSITION	U
(231)	Cyc B. Pink	R37	T3 9LT 3CR	Groundrow	A2
	Cyc B. Pink	R37	T3 9LT 3CR	Groundrow	B2
	Cyc B. Pink	R37	T3 9LT 3CR	Groundrow	C2
	Cyc B. Pink	R37	T3 9LT 3CR	Groundrow	D2
	Cyc B. Pink	R37	T3 9LT 3CR	Groundrow	E2
	Cyc B. Pink	R37	T3 9LT 3CR	Groundrow	F2
(232)	Cyc B. Lav.	L180 + L161	T3 9LT 3CR	Groundrow	A3
	Cyc B. Lav.	L180 + L161	T3 9LT 3CR	Groundrow	B3
	Cyc B. Lav.	L180 + L161	T3 9LT 3CR	Groundrow	C3
	Cyc B. Lav.	L180 + L161	T3 9LT 3CR	Groundrow	D3
	Cyc B. Lav.	L180 + L161	T3 9LT 3CR	Groundrow	E3
	Cyc B. Lav.	L180 + L161	T3 9LT 3CR	Groundrow	F3
(239)	DataFlash Power		DATA FLASH	No. 1 Electric Low	6
(240)	Strobe Close Duration	R71	DATA FLASH	No. 1 Electric Low	6
(241)	Strobe Close Intensity		DATA FLASH	No. 1 Electric Low	6
(242)	Strobe Close Rate		DATA FLASH	No. 1 Electric Low	6
(244)	DataFlash Power		DATA FLASH	Mezzanine	5
(245)	Strobe Far Duration	R72	DATA FLASH	Mezzanine	5
(246)	Strobe Far Intensity		DATA FLASH	Mezzanine	5
(247)	Strobe Far Rate		DATA FLASH	Mezzanine	5
(250)	Fogger Control		F-100 Fogger	SL (Deck)	1
(253)	Hazer		Hazer	Lighting Bridge	1
(254)	I-Beam Power		I-Beam	No. 1A Electric	5
(255)	I-Beam Pan		I-Beam	No. 1A Electric	5
(256)	I-Beam Tilt		I-Beam	No. 1A Electric	5
(257)	I-Beam Color		I-Beam	No. 1A Electric	5
(258)	I-Beam Texture		I-Beam	No. 1A Electric	5
(259)	I-Beam Shutter		I-Beam	No. 1A Electric	5
(260)	I-Beam Dimming		I-Beam	No. 1A Electric	5
(261)	I-Beam Iris		I-Beam	No. 1A Electric	5
(270)	SPOTLIGHT 1		S4 10 575w	Balcony	1
(271)	SPOTLIGHT 2		S4 10 575w	Balcony	20
(272)	SPOTLIGHT 3		S4 19 575w	Scaffolding L	1
(273)	SPOTLIGHT 4		S4 19 575w	Scaffolding R	1
(275)	Surf Box Special		6x22 575w	Balcony	19
(280)	Forerunner Box		Forerunner Box	SR Gallery Power Supply	
(281)	Forerunner Box		Forerunner Box	SL Gallery Power Supply	

Duke Kahanamoku ... INSTRUMENT SCHEDULE

PAGE 1
7/19/02

LIGHTING DESIGNER:
DONALD G CHRISTENSEN
(877) 866-9624 D@ROSCOLUX.COM

ALD: JASON A BROWN
MASTER ELECTRICIAN: BRIAN TYLKE
MERLE RESKIN THEATRE SPRING 2001

POSITION	U	TYPE & WATTAGE	CH	PURPOSE	CLR/TMP
Balcony	1	S4 10 575w	(270)	SPOTLIGHT 1	
	2	Alt 12 575w	(200)	SR Screen Red	R26
	3	Alt 12 575w	(202)	SR Screen Blue	R81
	4	Alt 12 575w	(204)	SL Screen Lav	L180
	5	Alt 12 575w	(206)	SL Screen Amber	L179
	6	Alt 20 575w	(101)	DL Fill	G338+L209
	7	Alt 12 575w	(110)	ML Fill	G338+L209
	8	Alt 20 575w	(102)	DCL Fill	G338+L209
	9	Alt 12 575w	(111)	MC Fill	G338+L209
	10	Alt 20 575w	(103)	DC Fill	G338+L209
	11	Alt 12 575w	(111)	MC Fill	G338+L209
	12	Alt 20 575w	(104)	DCR Fill	G338+L209
	13	Alt 12 575w	(112)	MR Fill	G338+L209
	14	Alt 20 575w	(105)	DR Fill	G338+L209
	15	Alt 12 575w	(207)	SR Screen Amber	L179
	16	Alt 12 575w	(205)	SR Screen Lav	L180
	17	Alt 12 575w	(203)	SL Screen Blue	R81
	18	Alt 12 575w	(201)	SL Screen Red	R26
	19	6x22 575w	(275)	Surf Box Special	
	20	S4 10 575w	(271)	SPOTLIGHT 2	

Duke Kahanamoku ... INSTRUMENT SCHEDULE

PAGE 2

7/19/02

POSITION	U	TYPE & WATTAGE	CH	PURPOSE	CLR/TMP
Mezzanine	1	8" Fresnel 1kw	(195)	Green Wash	Rx79
	2	S4 19 575w	(210)	SL Screen Palm	Rx94, T:R77222
	3	S4 19 575w	(212)	SL Screen (Linear)	L147, T:G656
	4	8" Fresnel 1kw	(190)	Cool Wash	R362
	5	DATA FLASH	(246)	Strobe Far Intensity	
	5	DATA FLASH	(245)	Strobe Far Duration	R72
	5	DATA FLASH	(244)	DataFlash Power	
	5	DATA FLASH	(247)	Strobe Far Rate	
	6	Alt 20 575w	(153)	Moon	N/C
	7	8" Fresnel 1kw	(191)	Cool Wash	R362
	8	8" Fresnel 1kw	(196)	Green Wash	Rx79
	9	S4 19 575w	(211)	SR Screen Palm	Rx94, T:R77222
	10	8" Fresnel 1kw	(192)	Cool Wash	R362
11	8" Fresnel 1kw	(197)	Green Wash	Rx79	
12	S4 19 575w	(213)	SR Screen (Linear)	L147, T:G656	
13	Alt 12 575w	(208)	Screen B-up		
1 Box Boom L	1	6X16 575w	(37)	Plaster SL-->SR	N/C
	2	6X12 575w	(35)	Plaster SL-->MSR	N/C
	3	Alt 30 575w	(33)	Plaster SL-->MSL	N/C
	4	6X9 575w	(31)	Plaster SL-->SL	N/C
2 Box Boom L	1	Alt 20 575w	(214)	SL Screen (Bubble)	Rx77, T:G723
	2	Alt 20 575w	(216)	SR Screen (fire)	Rx20, T:G267
	3	S4 26 575w	(132)	Lava Texture	R21, T:R77273
	4	S4 26 575w	(122)	Water Texture	G720, T:R77903
	5	S4 26 575w	(123)	Water Texture	G720, T:R77903
	6	S4 26 575w	(133)	Lava Texture	R21, T:R77273
1 Box Boom R	1	6X16 575w	(32)	Plaster SR-->SL	N/C
	2	6X12 575w	(34)	Plaster SR-->MSL	N/C
	3	Alt 30 575w	(36)	Plaster SR-->MSR	N/C
	4	6X9 575w	(38)	Plaster SR-->SR	N/C

POSITION	U	TYPE & WATTAGE	CH	PURPOSE	CLR/TMP
2 Box Boom R	1	Alt 20 575w	(215)	SR Screen (Bubble)	Rx77, T:G723
	2	Alt 20 575w	(217)	SL Screen (Fire)	Rx20, T:G267
	3	S4 26 575w	(120)	Water Texture	G720, T:R77903
	4	S4 26 575w	(130)	Lava Texture	R21, T:R77273
	5	S4 26 575w	(131)	Lava Texture	R21, T:R77273
	6	S4 26 575w	(121)	Water Texture	G720, T:R77903
SL Torm	1	6X16 575w	(3)	SL-->DCL	N/C
	2	6X12 575w	(1)	SL-->DL	N/C
	3	PAR 64 MFL 1kw	(60)	DSL>Head	R26
	4	Alt 30 575w	(50)	DSL>Mid	G341
	5	6X9 575w	(40)	DSL>Shin	L200
SR Torm	1	6X16 575w	(8)	SR-->DCR	N/C
	2	6X12 575w	(10)	SR-->DR	N/C
	3	PAR 64 MFL 1kw	(65)	DSR>Head Lav	R57
	4	Alt 30 575w	(55)	DSR>Mid	L200
	5	6X9 575w	(45)	DSR>Shin	G341
No. 1 Electric Low	1	6X16 575w	(5)	SL-->DC	N/C
	2	6X12 575w	(127)	Water Texture	G720, T:R7906
	3	6X16 575w	(7)	SL-->DCR	N/C
	4	6X12 575w	(138)	Lava Texture	R21, T:R7284
	5	6X16 575w	(9)	SL-->DR	N/C
	6	DATA FLASH	(240)	Strobe Close Duration	R71
	6	DATA FLASH	(239)	DataFlash Power	
	6	DATA FLASH	(242)	Strobe Close Rate	
	6	DATA FLASH	(241)	Strobe Close Intensity	
	7	6X16 575w	(2)	SR-->DL	N/C
	8	6X12 575w	(125)	Water Texture	G720, T:R7906
9	6X16 575w	(4)	SR-->DCL	N/C	
10	6X12 575w	(136)	Lava Texture	R21, T:R7284	
11	6X16 575w	(6)	SR-->DC	N/C	

Duke Kahanamoku ... INSTRUMENT SCHEDULE

POSITION	U	TYPE & WATTAGE	CH	PURPOSE	CLR/TMP
No. 1 Electric High	1	8" Fresnel 1kw	(90)	Down DL	R81
	2	S4 36 575w	(115)	UL Fill	G338+L210
	3	8" Fresnel 1kw	(91)	Down DCL	R81
	4	S4 36 575w	(116)	UC Fill	G338+L210
	5	8" Fresnel 1kw	(92)	Down DC	R81
	6	S4 36 575w	(116)	UC Fill	G338+L210
	7	8" Fresnel 1kw	(93)	Down DCR	R81
	8	S4 36 575w	(117)	UR Fill	G338+L210
	9	8" Fresnel 1kw	(94)	Down DR	R81
No. 1A Electric	1	6X12 575w	(137)	Lava Texture	R21, T:R7284
	2	PAR 64 MFL 1kw	(162)	Fab 1 CR	N/A
	2	Fore Runner Scroller	(167)	Scroller Fab 1 CR	Scroll A
	3	PAR 64 NSP 1kw	(163)	Fab 1 R	N/A
	3	Fore Runner Scroller	(168)	Scroller Fab 1 R	Scroll A
	4	6X12 575w	(128)	Water Texture	G720, T:R7543
	5	I-Beam	(261)	I-Beam Iris	
	5	I-Beam	(255)	I-Beam Pan	
	5	I-Beam	(257)	I-Beam Color	
	5	I-Beam	(254)	I-Beam Power	
	5	I-Beam	(260)	I-Beam Dimming	
	5	I-Beam	(256)	I-Beam Tilt	
	5	I-Beam	(258)	I-Beam Texture	
	5	I-Beam	(259)	I-Beam Shutter	
	6	6X12 575w	(135)	Lava Texture	R21, T:R7284
	7	PAR 64 NSP 1kw	(160)	Fab 1 L	N/A
	7	Fore Runner Scroller	(165)	Scroller Fab 1 L	Scroll A
	8	PAR 64 MFL 1kw	(161)	Fab 1 CL	N/A
	8	Fore Runner Scroller	(166)	Scroller Fab 1 CL	Scroll A
	9	6X12 575w	(126)	Water Texture	G720, T:R7543

Duke Kahanamoku ... INSTRUMENT SCHEDULE

POSITION	U	TYPE & WATTAGE	CH	PURPOSE	CLR/TMP
No. 2 Electric Low	1	6X12 575w	(13)	SL-->MC	N/C
	2	6X12 575w	(23)	SL-->BC	N/C
	3	PAR 64 MFL 1kw	(70)	Cool Back DL	G882
	4	PAR 64 MFL 1kw	(80)	Warm Back DL	G341
	5	PAR 64 MFL 1kw	(71)	Cool Back DCL	G882
	6	PAR 64 MFL 1kw	(81)	Warm Back DCL	G341
	7	PAR 64 MFL 1kw	(72)	Cool Back DCR	G882
	8	PAR 64 MFL 1kw	(82)	Warm Back DCR	G341
	9	PAR 64 MFL 1kw	(73)	Cool Back DR	G882
	10	PAR 64 MFL 1kw	(83)	Warm Back DR	G341
	11	6X12 575w	(14)	SR-->MC	N/C
	12	6X12 575w	(24)	SR-->BC	N/C
No. 2 Electric High	1	6X12 575w	(23)	SL-->BC	N/C
	2	6X12 575w	(13)	SL-->MC	N/C
	3	6X12 575w	(25)	SL-->BR	N/C
	4	6X12 575w	(15)	SL-->MR	N/C
	5	8" Fresnel 1kw	(95)	Down ML	R81
	6	6X16 575w	(140)	Duke Surf	G885
	7	8" Fresnel 1kw	(96)	Down MC	R81
	8	8" Fresnel 1kw	(96)	Down MC	R81
	9	PAR 64 MFL 1kw	(141)	Duke Special	Rx13
	10	8" Fresnel 1kw	(97)	Down MR	R81
	11	6X12 575w	(12)	SR-->ML	N/C
	12	6X12 575w	(22)	SR-->BL	N/C
	13	6X12 575w	(24)	SR-->BC	N/C
	14	6X12 575w	(14)	SR-->MC	N/C

Duke Kahanamoku ... INSTRUMENT SCHEDULE

POSITION	U	TYPE & WATTAGE	CH	PURPOSE	CLR/TMP
No. 3 Electric	1	S4 36 575w	(129)	Back Water Texture	R66, T:R7809
	2	S4 26 575w	(129)	Back Water Texture	R66, T:R7809
	3	PAR 64 WFL 1kw	(74)	Cool Back ML	G882
	4	PAR 64 WFL 1kw	(84)	Warm Back ML	G341
	5	8" Fresnel 1kw	(98)	Down UL	R81
	6	PAR 64 WFL 1kw	(75)	Cool Back MC	G882
	7	PAR 64 WFL 1kw	(85)	Warm Back MC	G341
	8	8" Fresnel 1kw	(99)	Down UR	R81
	9	PAR 64 WFL 1kw	(76)	Cool Back MR	G882
	10	PAR 64 WFL 1kw	(86)	Warm Back MR	G341
No. 4 Electric	A1	Far Cyc 4-Cell	(220)	Cyc Blue	L079
	A2	Far Cyc 4-Cell	(221)	Cyc Lav	L180
	A3	Far Cyc 4-Cell	(222)	Cyc Blue/Green	L115
	A3	Far Cyc 4-Cell	(223)	Cyc Blue2	L161
	B1	Far Cyc 4-Cell	(220)	Cyc Blue	L079
	B2	Far Cyc 4-Cell	(221)	Cyc Lav	L180
	B3	Far Cyc 4-Cell	(223)	Cyc Blue2	L161
	B3	Far Cyc 4-Cell	(222)	Cyc Blue/Green	L115
	C1	Far Cyc 4-Cell	(220)	Cyc Blue	L079
	C2	Far Cyc 4-Cell	(221)	Cyc Lav	L180
	C3	Far Cyc 4-Cell	(222)	Cyc Blue/Green	L115
	C3	Far Cyc 4-Cell	(223)	Cyc Blue2	L161
	D1	Far Cyc 4-Cell	(220)	Cyc Blue	L079
	D2	Far Cyc 4-Cell	(221)	Cyc Lav	L180
	D3	Far Cyc 4-Cell	(223)	Cyc Blue2	L161
	D3	Far Cyc 4-Cell	(222)	Cyc Blue/Green	L115
	E1	Far Cyc 4-Cell	(220)	Cyc Blue	L079
	E2	Far Cyc 4-Cell	(221)	Cyc Lav	L180
	E3	Far Cyc 4-Cell	(222)	Cyc Blue/Green	L115
	E3	Far Cyc 4-Cell	(223)	Cyc Blue2	L161

Duke Kahanamoku ... INSTRUMENT SCHEDULE

PAGE 7

7/19/02

POSITION	U	TYPE & WATTAGE	CH	PURPOSE	CLR/TMP
1 Ladder L	1	6X12 575w	(21)	SL-->BL	N/C
	2	6X12 575w	(11)	SL-->ML	N/C
	3	6X16 575w	(145)	Fab 1 Tex	R66, T:R7642
2 Ladder L	1	6X16 575w	(27)	US SL Cross	N/C
1 Ladder R	1	6X12 575w	(16)	SR-->MR	N/C
	2	6X12 575w	(26)	SR-->BR	N/C
	3	6X16 575w	(148)	Fab 1 Tex	R66, T:R7642
2 Ladder R	1	6X16 575w	(28)	US SR Cross	N/C
Scaffolding L	1	S4 19 575w	(272)	SPOTLIGHT 3	
1 Boom L	1	PAR 64 NSP 1kw	(173)	Fab 2 R	N/A
	1	Fore Runner Scroller	(178)	Scroller Fab 2 R	Scroll A
	2	PAR 64 MFL 1kw	(172)	Fab 2 CR	N/A
	2	Fore Runner Scroller	(177)	Scroller Fab 2 CR	Scroll A
	3	Alt Sk 30 575w	(51)	MSL>Mid	G341
	4	6X9 575w	(41)	MSL>Shin	L200
2 Boom L	1	PAR 64 MFL 1kw	(61)	BSL>Head	R26
	2	Alt Sk 30 575w	(52)	BSL>Mid	G341
	3	Alt Sk 30 575w	(42)	BSL>Shin	L200
3 Boom L	1	PAR 64 MFL 1kw	(181)	Fab 3 Red	R26
	2	PAR 64 MFL 1kw	(180)	Fab 3 Red	R26
	3	PAR 64 MFL 1kw	(53)	USL>Mid	N/A
	3	Fore Runner Scroller	(54)	Scroller MSL	Scroll B
	4	6X16 575w	(147)	Fab 3 Tex	R72, T:R7811
	4	6X9 575w	(146)	Fab 2 Tex	R72, T:A224-BS
Scaffolding R	1	S4 19 575w	(273)	SPOTLIGHT 4	
1 Boom R	1	PAR 64 NSP 1kw	(170)	Fab 2 L	N/A
	1	Fore Runner Scroller	(175)	Scroller Fab 2 L	Scroll A
	2	PAR 64 MFL 1kw	(171)	Fab 2 CL	N/A
	2	Fore Runner Scroller	(176)	Scroller Fab 2 CL	Scroll A
	3	Alt 30 575w	(56)	MSR>Mid	L200
	4	6X9 575w	(46)	MSR>Shin	G341

Duke Kahanamoku ... INSTRUMENT SCHEDULE

POSITION	U	TYPE & WATTAGE	CH	PURPOSE	CLR/TMP
2 Boom R	1	PAR 64 MFL 1kw	(66)	BSR>Head	R57
	2	Alt Sk 30 575w	(57)	BSR>Mid	L200
	3	Alt Sk 30 575w	(47)	BSR>Shin	G341
3 Boom R	1	PAR 64 MFL 1kw	(183)	Fab 3 Red	R26
	2	PAR 64 MFL 1kw	(184)	Fab 3 Red	R26
	3	PAR 64 MFL 1kw	(58)	US>MID	N/A
	3	Fore Runner Scroller	(59)	US>MID	Scroll B
	4	6X16 575w	(150)	Fab 3 Tex	R72, T:R7811
	5	6X9 575w	(149)	Fab 2 Tex	R72, T:A224-BS
Floormout	1	S4 26 575w	(151)	Cyc Streaks	N/C, T:R99652
	2	S4 26 575w	(151)	Cyc Streaks	N/C, T:R-B168
	3	S4 26 575w	(151)	Cyc Streaks	N/C, T:R99652
	4	S4 50 575w	(154)	Back Sp	Rx32
Groundrow	A1	T3 9LT 3CR	(230)	Cyc B. Lt Blue	R67
	A2	T3 9LT 3CR	(231)	Cyc B. Pink	R37
	A3	T3 9LT 3CR	(232)	Cyc B. Lav.	L180 + L161
	B1	T3 9LT 3CR	(230)	Cyc B. Lt Blue	R67
	B2	T3 9LT 3CR	(231)	Cyc B. Pink	R37
	B3	T3 9LT 3CR	(232)	Cyc B. Lav.	L180 + L161
	C1	T3 9LT 3CR	(230)	Cyc B. Lt Blue	R67
	C2	T3 9LT 3CR	(231)	Cyc B. Pink	R37
	C3	T3 9LT 3CR	(232)	Cyc B. Lav.	L180 + L161
	D1	T3 9LT 3CR	(230)	Cyc B. Lt Blue	R67
	D2	T3 9LT 3CR	(231)	Cyc B. Pink	R37
	D3	T3 9LT 3CR	(232)	Cyc B. Lav.	L180 + L161
	E1	T3 9LT 3CR	(230)	Cyc B. Lt Blue	R67
	E2	T3 9LT 3CR	(231)	Cyc B. Pink	R37
	E3	T3 9LT 3CR	(232)	Cyc B. Lav.	L180 + L161
	F1	T3 9LT 3CR	(230)	Cyc B. Lt Blue	R67
	F2	T3 9LT 3CR	(231)	Cyc B. Pink	R37
	F3	T3 9LT 3CR	(232)	Cyc B. Lav.	L180 + L161
ACL	A1	ACL	(152)	Volcano	R22

Duke Kahanamoku ... INSTRUMENT SCHEDULE

PAGE 9
7/19/02

POSITION	U	TYPE & WATTAGE	CH	PURPOSE	CLR/TMP
SL (Deck)	1	F-100 Fogger	(250)	Fogger Control	
Lighting Bridge	1	Hazer	(253)	Hazer	
SR Gallery Power		Forerunner Box	(280)	Forerunner Box	
SL Gallery Power		Forerunner Box	(281)	Forerunner Box	

Duke Kahanamoku ... INSTRUMENT SCHEDULE

7/19/02

LIGHTING DESIGNER:
DONALD G CHRISTENSEN
(877) 866-9624 D@ROSCOLUX.COM

ALD: JASON A BROWN
MASTER ELECTRICIAN: BRIAN TYLKE
MERLE RESKIN THEATRE SPRING 2001

PAGE INDEX

Balcony	1	1 Ladder R	7
Mezzanine	2	2 Ladder R	7
1 Box Boom L	2	Scaffolding L	7
2 Box Boom L	2	1 Boom L	7
1 Box Boom R	2	2 Boom L	7
2 Box Boom R	3	3 Boom L	7
SL Torm	3	Scaffolding R	7
SR Torm	3	1 Boom R	7
No. 1 Electric Low	3	2 Boom R	8
No. 1 Electric High	4	3 Boom R	8
No. 1A Electric	4	Floormout	8
No. 2 Electric Low	5	Groundrow	8
No. 2 Electric High	5	ACL	8
No. 3 Electric	6	SL (Deck)	9
No. 4 Electric	6	Lighting Bridge	9
1 Ladder L	7	SR Gallery Power Supply	9
2 Ladder L	7	SL Gallery Power Supply	9